

# EMC Certificate



OViS-CERT

## VERIFICATION OF CONFORMITY

EU- Electromagnetic Compatibility Directive 2014/30/EU

No.:OVISCE2110-032EC-R1

Page 17 of 20

### APPENDIX A

All models:4000r/min,I.C.F,IP68, Max. liquid temperature 35℃, Max. operation depth 50m

Model	Rated Voltage (V)	Input power (W)	H.max (m)	Q.max. (m³/h)
SDA1004-750	72	750	56	6
SDA1006-1100	72	1100	84	6
SDA1010-1500	110	1500	135	6
SDA1804-1100	110	1100	58	9
SDA1806-1500	110	1500	85	9
3SC3.8-55-48-400	48	400	55	3.8
3SC5.5-42-48-600	48	600	42	5.5
3SC7-46-48-750	48	750	46	7
3SC3.8-180-48-1500	48	1500	180	3.8
4SC11-45-48-750	48	750	45	11
4SC13.5-45-48-750	48	750	45	13.5
4SC15-55-48-1100	48	1100	55	15
4SC16-70-48-1500	48	1500	70	16
SDC 3304-110/750	110	750	45	14.4
SDC 4005-110/1100	110	1100	56	16
SDC 4006-110/1500	110	1500	72	16
SDC 1805-110/750	110	750	66	9



Zhejiang European African Testing&Certification Co., Ltd.  
 4th Floor, Building 4, No. 888 Donghuan Road,Development Zone,  
 Taizhou City, Zhejiang P.R.China  
[www.ovis-lab.com](http://www.ovis-lab.com) [Info@ovis-lab.com](mailto:Info@ovis-lab.com) Tel:400-8008-959

# LVD Certificate



OViS-CERT

## VERIFICATION OF CONFORMITY

EU - Low Voltage Directive 2014/35/EU

No.:OViSCE2110-032LC-R1

Page 17 of 20

### APPENDIX A

All models: 4000r/min, I.C.F, IP68, Max. liquid temperature 35°C, Max. operation depth 50m

Model	Rated Voltage (V)	Input power (W)	H.max (m)	Q.max (m³/h)
SDA1004-750	72	750	56	6
SDA1006-1100	72	1100	84	6
SDA1010-1500	110	1500	135	6
SDA1804-1100	110	1100	58	9
SDA1806-1500	110	1500	85	9
3SC3.8-55-48-400	48	400	55	3.8
3SC5.5-42-48-600	48	600	42	5.5
3SC7-46-48-750	48	750	46	7
3SC3.8-180-48-1500	48	1500	180	3.8
4SC11-45-48-750	48	750	45	11
4SC13.5-45-48-750	48	750	45	13.5
4SC15-55-48-1100	48	1100	55	15
4SC16-70-48-1500	48	1500	70	16
SDC 3304-110/750	110	750	45	14.4
SDC 4005-110/1100	110	1100	56	16
SDC 4006-110/1500	110	1500	72	16
SDC 1805-110/750	110	750	66	9



Zhejiang European African Testing&Certification Co., Ltd.  
 4th Floor, Building 4, No. 888 Donghuan Road, Development Zone,  
 Taizhou City, Zhejiang P.R. China  
[www.ovis-lab.com](http://www.ovis-lab.com) [Info@ovis-lab.com](mailto:Info@ovis-lab.com) Tel: 400-8008-959

# MD Certificate



OViS-CERT

## VERIFICATION OF CONFORMITY

EU- Machinery Directive 2006/42/EC

No.:OViSCE2110-032MC-R1

Page 17 of 20

### APPENDIX A

All models:4000r/min,I.C.F,IP68, Max. liquid temperature 35℃, Max. operation depth 50m

Model	Rated Voltage (V)	Input power (W)	H.max (m)	Q.max (m³/h)
SDA1004-750	72	750	56	6
SDA1006-1100	72	1100	84	6
SDA1010-1500	110	1500	135	6
SDA1804-1100	110	1100	58	9
SDA1806-1500	110	1500	85	9
3SC3.8-55-48-400	48	400	55	3.8
3SC5.5-42-48-600	48	600	42	5.5
3SC7-46-48-750	48	750	46	7
3SC3.8-180-48-1500	48	1500	180	3.8
4SC11-45-48-750	48	750	45	11
4SC13.5-45-48-750	48	750	45	13.5
4SC15-55-48-1100	48	1100	55	15
4SC16-70-48-1500	48	1500	70	16
SDC 3304-110/750	110	750	45	14.4
SDC 4005-110/1100	110	1100	56	16
SDC 4006-110/1500	110	1500	72	16
SDC 1805-110/750	110	750	66	9



Zhejiang European African Testing&Certification Co., Ltd.  
 4th Floor, Building 4, No. 888 Donghuan Road,Development Zone,  
 Taizhou City, Zhejiang P.R.China  
[www.ovis-lab.com](http://www.ovis-lab.com) [Info@ovis-lab.com](mailto:Info@ovis-lab.com) Tel:400-8008-959